

Maintenance > Maintenance Director Log Monthly Report

| Start | Minutes | Building | Area | Торіс | Short Description |
|--------------------------------|---------|---------------------|--|---|---|
| Start : 7/23/2018 (2) | | | | | |
| 7/23/2018 12:30 PM | 60 | BCHS | Boiler Room | Electrical | Repairs to lighting in boiler room |
| 7/23/2018 1:30 PM | 240 | BCHS | Classroom, Grounds, Hallway, Office, Shop | Meeting - Staff | Met and worked with custodians to move some furniture and load and haul trash from various locations |
| ∃ Start : 7/24/2018 (8) | | | | | |
| 7/24/2018 7:30 AM | 30 | BCHS | Boiler Room | HVAC | Daily Boiler Chiller Check |
| 7/24/2018 8:00 AM | 60 | SAB | Office | Meeting - Staff | Meeting with Business Manager to reset up computer for new purchase orders and to work on some other problems with computer setup |
| 7/24/2018 9:00 AM | 120 | BCHS | Shop | Other (Provide Description) | Repairs to Jakes JD Mower, cleaned water seperator, cleaned air filter, tractor engine sounded like it had a miss while running |
| 7/24/2018 11:00 AM | 90 | BCHS | Classroom, Hallway, Other (Add to Description) | HVAC | Repairs to HVAC in science wing area found chiller had tripped out on low pressure, reset and checked 5 air handlers thats on that unit |
| 7/24/2018 12:30 PM | 30 | BCHS | Other (Add to Description) | Lunch | Lunch Break |
| 7/24/2018 1:00 PM | 90 | BCHS | Boiler Room, Grounds, Gymnasium, Hallway | Other (Provide Description) | Loaded and hauled some trash away for custodians |
| 7/24/2018 2:30 PM | 60 | BCHS | Boiler Room | HVAC | Repairs to HVAC pump leaking in boiler room |
| 7/24/2018 3:30 PM | 120 | BCHS | Classroom, Hallway | Meeting - Staff | Met and worked with custodians to move furniture back into rooms, BCHS |
| Start : 7/26/2018 (7) | | | | | |
| 7/26/2018 7:30 AM | 30 | BCHS | Boiler Room | HVAC | Daily Boiler Chiller Check |
| 7/26/2018 8:00 AM | 210 | BCHS | Kitchen | Electrical, Meeting - Others | Met and worked with H&M Elec Techs to help move kitchen line into place for Elec. wiring |
| 7/26/2018 11:30 AM | 30 | BCHS | Other (Add to Description) | Lunch | Lunch Break |
| 7/26/2018 12:00 PM | 90 | MES | Kitchen | Meeting - Staff, Other (Provide Description) | Loaded new kitchen breakfast server cabinet and hauled to MES |
| 7/26/2018 1:30 PM | 60 | BCHS | Classroom, Hallway | HVAC, Other (Provide Description) | Repairs to HVAC unit at bandroom and hallway unit |
| 7/26/2018 2:30 PM | | BCHS | Classroom, Hallway | Meeting - Staff | Met and worked with custodians moving furniture for stripping and waxing |
| 7/26/2018 4:30 PM | 60 | BCHS | Kitchen | Electrical, Meeting - Others | Meeting with H&M Elec Tech to check on kitchen serving line job is complete and ready for operation, he showed me all electrical change and hookup, all functioning properly |
| ∃ Start : 7/30/2018 (9) | | | | | |
| 7/30/2018 8:00 AM | 30 | BCHS | Boiler Room | HVAC | Daily Boiler Chiller Check |
| 7/30/2018 8:30 AM | 90 | Other (Describe) | Shop, Other (Add to Description) | Meeting - Staff | Met with Transportation Supervisor to take Maintenance truck to Magic City at Covington to drop off for repairs |
| 7/30/2018 10:00 AM | 60 | BusGar | Shop | Meeting - Staff | Helped Transportation Supervisor move some items and put in storage shed, also picked up vehicle to use while mine is in shop |
| 7/30/2018 11:00 AM | 60 | VES | Office | Meeting - Staff | Meeting with Principal at VES to discuss some items to be done there |
| 7/30/2018 12:00 PM | 30 | VES | Other (Add to Description) | Lunch | Lunch Break |
| 7/30/2018 12:30 PM | 90 | BCHS | Classroom, Hallway | Meeting - Staff | Met and worked with custodians at BCHS moving furniture back into place |
| 7/30/2018 2:00 PM | 30 | BCHS | Kitchen | Meeting - Others | Meeting with Lee Bray of Prestige Mech. & Refrigeration working on stove in charger cafe. |
| 7/30/2018 2:30 PM | 60 | VES | Hallway | Plumbing/Sewer, Water line | Worked on water fountains at VES, one at cafeteria is leaking at coil, need to replace, checked one at gym needs to be replaced, attemped to put parts on 2 at office and have received wrong parts |
| 7/30/2018 3:30 PM | 120 | VES | Kitchen | Meeting - Others | Called Lee Bray to come to VES kitchen, freezer temps raised to 19 degree, Lee found that thermostat was acting up, reset and checked for proper function |
| Start : 7/31/2018 (6) | | | | | |
| 7/31/2018 8:00 AM | 30 | BCHS | Boiler Room | HVAC | Daily Boiler Chiller Check |
| 7/31/2018 8:30 AM | 90 | BCHS | Boiler Room, Other (Add to Description) | Inventory, Other (Provide Description) | Worked in boiler room storage area cleaning and moving items around into place, done some more inventory of supplies to order for school year |
| 7/31/2018 10:00 AM | 150 | MES | Boiler Room | Other (Provide Description), Water line | Received call from MES Principal about leak in waterline at boiler room, inspected & found sprinkler line leaking, called Commercial Fire Fyters to repair, met with Jay from CFF |
| 7/31/2018 12:30 PM | 30 | Other (Describe) | Other (Add to Description) | Lunch | Lunch Break |
| 7/31/2018 1:00 PM | 60 | SAB | Office | Meeting - Staff | Meeting with Business Manager to get some paper work filled out |
| 7/31/2018 2:00 PM | 120 | BCHS | Boiler Room, Classroom, Hallway, Shop | Meeting - Staff | Met and worked with custodians in boiler room moving and cleaning |
| Start : 8/1/2018 (4) | | | | | |
| 8/1/2018 8:00 AM | 120 | BCHS | Office | Email, Logs, Phone call - Others, Phone call - Staff, Purchase Orders | Worked in office on PC |
| 8/1/2018 10:00 AM | 150 | SAB | Office | Inservice - Presentation, Inservice - Attendance | Attended inservice with custodians, and lunch |

| 8/1/2018 12:30 PM | 120 | BCHS | Classroom | HVAC | Repairs to HVAC in science wing area |
|------------------------------|-----|--------|---|---|---|
| 8/1/2018 2:30 PM | 90 | BCHS | Classroom, Hallway, Office | Meeting - Staff | Met and worked with custodians at BCHS moving furniture |
| | | | | | |
| G Start : 8/2/2018 (6) | | | | | |
| 8/2/2018 8:00 AM | | BCHS | Boiler Room | HVAC | Daily Boiler Chiller Check |
| 8/2/2018 8:30 AM | | BCHS | Office | Email, Phone call - Others, Phone call - Staff | Worked in office on PC |
| 8/2/2018 9:00 AM | | BCHS | Closet, Other (Add to Description) | HVAC | Repairs to science wing chiller, air flow problems, tripped out on low pressure temp, reset controls fixed air problem on compressor |
| 8/2/2018 11:00 AM | | MES | Boiler Room | Meeting - Others | Met with Jay of Commercial Fyer Fighters for temporary repair to leaking line in boiler room |
| 8/2/2018 12:00 PM | | BCHS | Other (Add to Description) | Lunch | Lunch Break |
| 8/2/2018 12:30 PM | 210 | BCHS | Classroom, Hallway | Meeting - Staff | Met and worked with custodians moving furniture BCHS |
| Start: 8/3/2018 (5) | | | | | |
| 8/3/2018 8:00 AM | 30 | BCHS | Boiler Room | HVAC | Daily Boiler Chiller Check |
| 8/3/2018 8:30 AM | 60 | BCHS | Office | Email, Parts Ordering, Phone call - Others, Phone call - Staff, Purchase Orders | Worked in office on PC |
| 8/3/2018 9:30 AM | 150 | VES | Other (Add to Description) | Plumbing/Sewer, Water line | Repairs to urinals and sinks at VES boys restroom middle section |
| 8/3/2018 12:00 PM | 30 | VES | Other (Add to Description) | Lunch | Lunch Break |
| 8/3/2018 12:30 PM | 210 | VES | Other (Add to Description) | Plumbing/Sewer, Water line | Repairs to urinals and sinks, also repairs to comodes and sinks in girls restroom middle section |
| □ Start : 8/6/2018 (5) | | | | | |
| 8/6/2018 8:00 AM | 330 | BCHS | Boiler Room | HVAC, Other (Provide Description) | Repairs to all 3 boilers in main boiler room, also clean fuel pump filter resevore, and primary and secondary filters for fuel pump to boilers, replaced filters on all 3 boilers |
| 8/6/2018 1:30 PM | 30 | BCHS | Other (Add to Description) | Lunch | Lunch Break |
| 8/6/2018 2:00 PM | 60 | VES | Kitchen | HVAC, Meeting - Others | Met and worked with James of Radford Mech. at VES Kitchen on AC unit |
| 8/6/2018 3:00 PM | 30 | BusGar | Shop | Meeting - Staff | Meeting with Transportation Supervisor |
| 8/6/2018 3:30 PM | 30 | VES | Office | Meeting - Staff | Meeting with Principal |
| Start : 8/7/2018 (1) | | | | | |
| 8/7/2018 8:00 AM | 480 | BCHS | Other (Add to Description) | Leave - Sick | Sick Leave, Dr. App. |
| Start : 8/8/2018 (8) | | | | | |
| 8/8/2018 8:00 AM | 20 | BCHS | Boiler Room | HVAC | Daily Boiler Chiller Check |
| 8/8/2018 8:30 AM | | BCHS | Office | Email, Logs, Phone call - Others, Phone call - Staff, Purchase Orders | |
| 8/8/2018 10:00 AM | 60 | BCHS | Parking Lot | Other (Provide Description) | Met delivery truck received computer items for Mr. Ozols |
| 8/8/2018 11:00 AM | 60 | BCHS | Boiler Room | HVAC | Checked chiller, tripped out |
| 8/8/2018 12:00 PM | | BCHS | Other (Add to Description) | Lunch | Lunch Break |
| 8/8/2018 12:30 PM | | BCHS | Hallway | Meeting - Others | Met and worked with Lee of Prestiege Mech removing and installing new water fountian in lower mertz |
| 8/8/2018 2:30 PM | | BCHS | Boiler Room, Closet, Shop | Meeting - Staff | Worked BCHS custodian to move and haul debrie |
| 8/8/2018 3:30 PM | 30 | BCHS | Office | Email, Logs, Phone call - Staff, Purchase Orders | Worked in office on PC |
| Given Start : 8/9/2018 (1) | | | | | |
| 8/9/2018 8:00 AM | 480 | BCHS | Other (Add to Description) | Leave - Vacation | Vacation Leave |
| Start : 8/10/2018 (1) | | | | | |
| 8/10/2018 8:00 AM | 480 | BCHS | Other (Add to Description) | Leave - Vacation | Vacation Leave |
| Start : 8/13/2018 (5) | | | | | |
| 8/13/2018 8:00 AM | 30 | BCHS | Boiler Room | HVAC | Daily Boiler Chiller Check |
| 8/13/2018 8:30 AM | 210 | BCHS | Boiler Room, Grounds, Shop, Other (Add to | Meeting - Staff | Met and worked with custodians hauling, moving and cleaning outside |
| 8/13/2018 12:00 PM | 30 | BCHS | Description) Other (Add to Description) | Lunch | Lunch Break |
| 8/13/2018 12:30 PM | 120 | BCHS | Boiler Room, Closet, Hallway | Meeting - Staff | Worked with BCHS custodian stocking custodial closets with supplies |
| 8/13/2018 2:30 PM | 180 | BCHS | Kitchen | Meeting - Staff | Worked with BCHS custodian to install glass panels on front of food server line |
| Start: 8/14/2018 (4) | | | | | |
| 8/14/2018 8:00 AM | 30 | BCHS | Boiler Room | HVAC | Daily Boiler Chiller Check |
| 8/14/2018 8:30 AM | 90 | VES | Classroom, Hallway | HVAC | Checked out HVAC in classroom and cafeteria |
| | | | | | |

| 8/14/2018 10:00 AM | 90 | BCHS | Boiler Room, Other (Add to Description) | Meeting - Others | Met and worked with custodians to unload truck load of supplies from Oliver Dist |
|--|-----|---------------------|--|--|--|
| 8/14/2018 11:30 AM | 360 | BCHS | Boiler Room, Kitchen | HVAC, Meeting - Others | Met and worked with James of Radford Mech, walkin refrigerator unit froze up, thawed out found someone had turned temp controller down to 26 degrees, repairs to science wing chiller that had tripping and locking out. |
| Start : 8/15/2018 (7) | | | | | |
| 8/15/2018 8:00 AM | 30 | BCHS | Boiler Room | HVAC | Daily Boiler Chiller Check |
| 8/15/2018 8:30 AM | 90 | BCHS | | Electrical, Other (Provide Description) | Repairs to lighting at various areas BCHS |
| 8/15/2018 10:00 AM | 120 | BCHS | Road | Electrical, Meeting - Others | Met and worked with Lindsay Elec. caution light on south end of BCHS, light burnt out, new one on order |
| 8/15/2018 12:00 PM | 30 | BCHS | Other (Add to Description) | Lunch | Lunch Break |
| 8/15/2018 12:30 PM | 90 | VES | Boiler Room | HVAC | Went to VES checked main chiller, ran diagnostic on system hand held computer, all seemed to be functioning properly, also checked cafeteria unit for function |
| 8/15/2018 2:00 PM | 90 | BCHS | Locker Room, Other (Add to Description) | HVAC | Checked air handler in boys locker room, has power but not running, checking duct detector, and freeze stat. |
| 8/15/2018 3:30 PM | 30 | BCHS | Office | Email, Logs, Phone call - Others, Phone call - Staff, Purchase Orders | Worked in office on PC |
| Start : 8/16/2018 (6) | | | | | |
| 8/16/2018 8:00 AM | 30 | BCHS | Boiler Room | HVAC | Daily Boiler Chiller Check |
| 8/16/2018 8:30 AM | 90 | Other (Describe) | Shop, Other (Add to Description) | Meeting - Staff | Followed Tranpotation Supervisor to Magic City at Covington to drop his truck off for recall repairs hauled him back to bus garage |
| 8/16/2018 10:00 AM | 150 | (Describe) VES | Classroom, Kitchen, Other (Add to | HVAC, Meeting - Others | Not recain repairs induced mini back to bus garage Met and worked with James of Radford Mech for repairs to HVAC at VES cafeteria unit, classroom unit and repair drain fron kitchen unit |
| 8/16/2018 12:30 PM | 30 | VES | Description) Other (Add to | Lunch | Lunch Break |
| 0/10/2010 12.30 PM | 30 | VES | Description) | Lunch | Lunch break |
| 8/16/2018 1:00 PM | 90 | BCHS | Classroom, Other (Add to Description) | HVAC, Meeting - Others | Met and worked with James of Radford Mech for repairs to HVAC at BCHS bandroom, boys locker room and to check chiller at science wing for proper function |
| 8/16/2018 2:30 PM | 120 | Other (Describe) | Shop | Meeting - Staff | Transportation Supervisor called that his truck was done at Magic City, took him back to pick up his truck, also stopped by State Elec Supply and picked up light bulbs and back ordered supplies for BCHS VES MES, brought back to BCHS and unload |
| Start : 8/17/2018 (1) | | | | | |
| 8/17/2018 8:00 AM | 480 | BCHS | Other (Add to Description) | Leave - Sick | Sick Leave* |
| Start : 8/20/2018 (6) | | | | | |
| 8/20/2018 8:00 AM | 30 | BCHS | Boiler Room | HVAC | Daily Boiler Chiller Check |
| 8/20/2018 8:30 AM | 120 | BCHS | Shop | Meeting - Staff | Worked with BCHS custodians on mowers, changed filters on Jake's mower, checked Ron's mower found deck gear box not functioning. |
| 8/20/2018 10:30 AM | 240 | BCHS | Other (Add to Description) | Other (Provide Description) | Hooked to trailer, loaded Rons deck onto trailer, hauled it to RH Burns in Hillsboro WV. picked up 2305 JD tractor that was there for repairs, delivered it back to VES |
| 8/20/2018 2:30 PM | 30 | VES | Kitchen, Shop | Meeting - Staff | Met with VES custodian about supplies on back order and gave him keys to mower |
| 8/20/2018 3:00 PM | 30 | BCHS | Parking Lot | Other (Provide Description) | Unhooked trailer in court yard |
| 8/20/2018 3:30 PM | 30 | BCHS | Office | Email, Other (Provide Description) | Picked up mail from main office, checked E-Mails and voice mails |
| Start : 8/21/2018 (8) | | | | | |
| 8/21/2018 8:00 AM | 30 | BCHS | Boiler Room | HVAC | Daily Boiler Chiller Check |
| 8/21/2018 8:30 AM | | BCHS | Office | Email, Logs, Parts Ordering, Phone call | Worked in office on PC |
| | | | | - Others, Phone call - Staff, Purchase Orders | |
| 8/21/2018 10:00 AM | 90 | BCHS | Classroom, Hallway | HVAC | Replaced heater in control panel for bandroom unit, checked for proper rotation of motor, reset thermostat control, checked unit for function, also checked upper atrium unit for temp setting |
| 8/21/2018 11:30 AM | 30 | BCHS | Other (Add to Description) | Parts Pickup | Went to Bath County Building supply to pick up some parts |
| 8/21/2018 12:00 PM | 30 | BCHS | Other (Add to Description) | Lunch | Lunch Break |
| 8/21/2018 12:30 PM | 60 | BCHS | Closet, Other (Add to Description) | HVAC, Meeting - Others | Met and worked with James of Radford Mech, for HVAC repairs at BCHS, science wing chiller and classroom unit |
| 8/21/2018 1:30 PM | 120 | BCHS | Boiler Room | Meeting - Others, Meeting - Staff | Worked with BCHS custodian and unloaded truckload of custodial supplies from Oliver Dist. |
| 8/21/2018 3:30 PM | 30 | BusGar | Parking Lot | Other (Provide Description) | Drove custodial truck to bus garage filled it up with gas, can't get to pumps at BCHS due to parking lot work |
| Given Start : 8/22/2018 (5) | | | | | |
| 8/22/2018 8:00 AM | 20 | BCHS | Boiler Room | HVAC | Daily Boiler Chiller Check |
| 8/22/2018 8:00 AM 8/22/2018 8:30 AM | | BCHS | Office | Email, Logs, Phone call - Others, Phone | |
| 8/22/2018 9:30 AM | 150 | VES | Kitchen, Other (Add to Description) | call - Staff, Purchase Orders Meeting - Staff, Other (Provide Description), Water line | Meeting with VES Principal, worked on water fountain in cafeteria, helped custodian put together breakfast cart for kitchen |
| 8/22/2018 12:00 PM | 30 | BCHS | Other (Add to Description) | Lunch | Lunch Break |
| 8/22/2018 12:30 PM | 210 | BCHS | Boiler Room | HVAC | Removed and installed new pressure releif valve on boiler #2 in main boiler |
| | | | | | room, turned water back on to unit, went to start unit would not start, found fuse blown, replaced fuse blowed again, will talk with Trane Tech about problem. |

| Given Start : 8/23/2018 (5) | | | | | |
|------------------------------|-----|---------------------|--|--|---|
| 8/23/2018 8:00 AM | 30 | BCHS | Boiler Room | HVAC | Daily Boiler Chiller Check |
| 8/23/2018 8:30 AM | 210 | BCHS | Boiler Room, Other (Add to Description) | Meeting - Staff | Met and worked with Jake moving summer floor cleaning supplies from stage storage to boiler room storage, also brought custodial supplies from boiler room storage to stage storage |
| 8/23/2018 12:00 PM | 30 | BCHS | Other (Add to Description) | Lunch | Lunch Break |
| 8/23/2018 12:30 PM | 30 | BCHS | Office | Email, Phone call - Others, Phone call - Staff | Worked in office on PC |
| 8/23/2018 1:00 PM | 180 | Other (Describe) | Other (Add to Description) | Other (Provide Description), Parts Pickup | Went to Covington to pick up ordered supplies from State Elec. Supply, Fisher Auto Parts Tractor Supply and NAPA Auto Parts |
| Given Start : 8/24/2018 (5) | | | | | |
| 8/24/2018 8:00 AM | 30 | BCHS | Boiler Room | HVAC | Daily Boiler Chiller Check |
| 8/24/2018 8:30 AM | 30 | BCHS | Office | Email, Phone call - Others, Phone call - Staff, Purchase Orders | Worked in office on PC |
| 8/24/2018 9:00 AM | 90 | VES | Office | Meeting - Staff | Meeting with Principal at VES to look at and discuss some items for repair. |
| 8/24/2018 10:30 AM | 150 | BCHS | Boiler Room, Hallway | HVAC, Meeting - Others, Other (Provide Description), Water line | Met and worked with James of Radford Mech for repairs to drain trap primer, pump at boiler room |
| 8/24/2018 1:00 PM | 240 | Other (Describe) | Road, Other (Add to Description) | Parts Pickup | Went to Lowes at Lexington to pick up ceiling tiles for BCHS, VES, and MES, also picked up electric pressure washer for MES, theirs burnt up over summer cleaning, brought back to BCHS unloaded. |
| Start : 8/27/2018 (1) | | | | | |
| 8/27/2018 8:00 AM | 480 | BCHS | Other (Add to Description) | Leave - Sick | Sick Leave, Dr. App. |
| Start : 8/28/2018 (8) | | | | | |
| 8/28/2018 8:00 AM | 30 | BCHS | Boiler Room | HVAC | Daily Boiler Chiller Check |
| 8/28/2018 8:30 AM | 30 | BCHS | Office | Email, Phone call - Others, Purchase Orders | Worked in office on PC |
| 8/28/2018 9:00 AM | 90 | VES | Kitchen | Electrical, HVAC | Went to VES to check reach in refridgerator, also checked HVAC |
| 8/28/2018 10:30 AM | 90 | BCHS | Boiler Room, Closet | Meeting - Others, Other (Provide Description) | Met with Oliver Dist. to unload supplies and put them away area |
| 8/28/2018 12:00 PM | 30 | BCHS | Other (Add to Description) | Lunch | Lunch Break 🚨 🕬 |
| 8/28/2018 12:30 PM | 90 | BCHS | Boiler Room | Electrical | Worked on lighting in boiler room, changed light bulbs, installed ballast $\begin{tabular}{ll} \mathbf{N} \end{tabular}$ |
| 8/28/2018 2:00 PM | 90 | BCHS | Boiler Room, Classroom, Other (Add to Description) | Other (Provide Description), Water line | Received call from Culinary Arts kitchen said she did not have hot water, traced out problem and found valves had been shut off for repairs in another location |
| 8/28/2018 3:30 PM | 30 | BCHS | Office | Meeting - Staff | Meeting with Principal 🛄 KW |
| ⊟ Start : 8/29/2018 (8) | | | | | |
| 8/29/2018 8:00 AM | 30 | BCHS | Boiler Room | HVAC | Daily boiler chiller check |
| 8/29/2018 8:30 AM | 60 | BCHS | Office | Email, Logs, Other (Provide Description), Phone call - Others, Phone call - Staff, Purchase Orders | Worked in office on PC 🖪 🗤 |
| 8/29/2018 9:30 AM | 60 | BCHS | Parking Lot | Electrical, Meeting - Others | Met and worked with Herold, of H&M Elec to move poles from fuel pump pad to other end of parking lot |
| 8/29/2018 10:30 AM | 90 | BCHS | Office | Meeting - Others | Meeting with Jim McQuail, Service Sales Representative for Trane Corp. |
| 8/29/2018 12:00 PM | 30 | BCHS | Other (Add to Description) | Lunch | Lunch Break 📮 🕬 |
| 8/29/2018 12:30 PM | 90 | BCHS | Classroom, Locker Room | HVAC, Meeting - Others | Met and worked with James of Radford Mech. boys locker room unit and control panel in boiler room atrium area end. |
| 8/29/2018 2:00 PM | 60 | VES | Other (Add to Description) | Meeting - Staff, Other (Provide Description) | Delivered some ceiling tiles to custodians at VES and cut off a steel rebar from side steps with sawzaw. \blacksquare ww |
| 8/29/2018 3:00 PM | 60 | SAB | Office | Meeting - Staff, Purchase Orders | Delivered purchase orders to Business Manager and had meeting with him on other school items \blacksquare \mathbf{NV} |
| Start : 8/30/2018 (8) | | | | | |
| 8/30/2018 8:00 AM | 30 | BCHS | Boiler Room | HVAC | Daily Boiler Chiller Check 📱 🛤 |
| 8/30/2018 8:30 AM | 60 | BCHS | Office | Email, Logs, Phone call - Others, Phone call - Staff, Purchase Orders | Worked in office on PC 🚨 KCW |
| 8/30/2018 9:30 AM | 60 | SAB | Office | Meeting - Staff | Meeting with Business Manager |
| 8/30/2018 10:30 AM | 60 | BusGar | Shop | Meeting - Staff | Bus Garage called, doors locked couldn't open, checked out new doors installed* |
| 8/30/2018 11:30 AM | | BCHS | Hallway, Kitchen | HVAC | Repairs to HVAC at charger cafe, and repairs to bandroom unit |
| 8/30/2018 2:00 PM | | BCHS | | Electrical, Meeting - Others | Meeting with Herold, of H&M Elec. about lighting on parking lot D HKW |
| 8/30/2018 2:30 PM | | Other (Describe) | Other (Add to Description) | Other (Provide Description), Parts Pickup | Went to Bath Co. Bld. Supply to pick up oil for z-track mower, and lock for diesel pump Theorem 2015 North Constraints and the second s |
| 8/30/2018 3:00 PM | 60 | BCHS | Grounds | Other (Provide Description) | Went to football field to get mower running to load on trailer, it had broke down on the field and the second seco |
| Start : 8/31/2018 (1) | | | | | |
| 8/31/2018 8:00 AM | 480 | BCHS | Other (Add to Description) | Leave - Sick | Sick Leave* |

Start : 9/3/2018 (1)

9/3/2018 8:00 AM

480 BCHS Other (Add to Description)

Other (Provide Description)

Off for Holiday!

Add new event